SAFETY DATA SHEET

GREENUMBRELLA® GreenCut

Section 1. Product and Company Identification

PRODUCT NAME: GreenCut

PRODUCT USE: Neutral Nano Surface Profile Agent

EFFECTIVE DATE: October 2021

MANUFACTURER INFORMATION:



Green Umbrella 20 Jetview Drive Rochester, NY 14624 (844) 200-7336

None

EMERGENCY PHONE NUMBER:

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC 24 Hours

Section 2. Hazard Identification

GHS PICTOGRAMS:



GHS SIGNAL WORD:

WARNING.

This product is alkaline. Avoid contact with eyes and skin.

Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed.

POTENTIAL HEALTH EFFECTSCODE OF HAZARD STATEMENTS:

Physical Hazards Health Hazards Environmental Hazards

None H303 May be harmful if swallowed.

H312 Harmful in contact with skin. H319 Causes serious eye irritation.

H333 May be harmful if inhaled.

Section 2. Hazard Identification (Continued)

CODE OF PRECAUTIONARY STATEMENTS:

General

P101-Keep out of reach of children.

P103-Read label before use.

Prevention Statements

P202-Do not handle until all safety precautions have been read and understood.

P262-Do not get in eyes, on skin or on clothing.

P264-Wash thoroughly after handling using this product.

P280-Wear protective gloves/protective clothing/eye protection/face protection.

P284-Wear respiratory protection.

Response Statements

P312-Call a POISON CENTER or doctor/physician if you feel unwell.

P331-DO NOT induce vomiting.

P340-Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352-Wash with plenty of soap and water.

P362-Take off contaminated clothing and wash before reuse.

Storage

P403-Store in well-ventilated place.

P404-Store in a closed container.

P412-Do not expose to temperatures exceeding 60 °C (140 °F)

ROUTES OF ENTRY:

Eye contact, skin adsorption, ingestion and inhalation.

CARCINOGENICITY:

None know at this time.

Section 3. Ingredients and Hazards Identification

Component	CAS#	EINECS No	% by weight	REACH
Proprietary	Prop.	Prop.	>1	Yes
Proprietary	Prop.	Prop.	>1	Yes
Proprietary	Prop.	Prop.	< 1	No
Proprietary	Prop.	Prop.	< 1	No
Proprietary	Prop.	Prop.	< 1	No

*Undisclosed ingredients are withheld as trade secrets

Section 4. First Aid Measures

EYE CONTACT:

Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT:

Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse.

INHALATION:

Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

INGESTION:

If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

FLASH POINT: Not flammable

ΝE

FLAMMABILITY

LIMITS:

FIRE FIGHTING

MEDIA:

Dry chemical, carbon dioxide, and water spray.

SPECIAL FIRE FIGHTING PROCEDURES: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE). Material is alkaline and may cause the floor to be slippery.

Section 6. Accidental Release Measures

CLEAN-UP PROCEDURES:

Material is alkaline wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use plastic shovel to pick up absorbent for disposal.

SPILLS AND LEAKS:

Dispose in accordance to local, state or federal regulations.

Section 7. Handling and Storage

HANDLING: Do not get into eyes. Do not taste or swallow. Wash thoroughly after

handling.

STORAGE: Store in original labeled container. Keep in cool and dry areas.

Do not exceed 60 °C (140 °F).

Section 8. Exposure Control/Personal Protection

INTRODUCTORY REMARKS:

Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

PERSONAL PROTECTION:

EYES: Wear safety goggles or safety glasses to prevent eye contact.

BODY: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant

gloves.

HANDS: Chemical resistant gloves.

RESPIRATORY: Wear an approved respirator (NIOSH TC-84A rated or EN 14387) that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Section 9. Physical and Chemical Properties

Odor/Color	Odorless/white, dries clear	Vapor Pressure >	2.2 torr @ 68° F (20° C)
рН	6-7	Density (water=1)	> 1.0 @ 68°F (20 °C)
% volatile by v	veight < 50g/L	Solubility	100 % in water
Evaporation ra	te < 1.0	Boiling Point	212°F (100°C)

Section 10. Stability and Reactivity

CHEMICAL STABILITY: Considered stable under normal ambient temperatures.

HAZARDOUS DECOMPOSITION: If complete combustion, oxides of carbon and silicates are formed.

HAZARDOUS
POLYMERIZATION:
Will not occur.

INCOMPATIBILITY/
MATERIALS TO AVOID:

May react with strong oxidizing agents and strong acids.

Section 11. Toxicological Information

ACUTE EYE IRRITATION: Irritating.

ACUTE SKIN IRRITATION: Chronic exposure may be irritating.

ACUTE DERMAL TOXICITY: Not expected to be toxic through the skin.

ACUTE INHALATION

TOXICITY: Not determined, expected to be an irritant to the respiratory system.

CARCINOGENIC EFFECTS: None

EXISTING MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Exposure to eyes and skin may cause irritation to pre-existing conditions.

Section 12. Ecological Information

ECOTOXICITY: The toxicity of this product has not been determined.

ENVIRONMENTAL FATE: This product should be expected to be readily biodegradable.

Section 13. Disposal Considerations

WASTE DISPOSAL Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal regulations.

CONTAINER HANDLING
AND DISPOSAL:
All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

Section 14. Transport Information

GROUND CLASSIFICATION: Not regulated by US DOT

SHIPPING NAME: None

TECHNICAL SHIPPING NAME: None

UNFIC: None Not regulated by IATA or IMO

ID NUMBER: None PACKAGING GROUP: None

LABELS: No US DOT Labels

Section 15. Regulatory Information

EPCRA 311/312 Immediate (Acute) Health Effects: Yes
CATEGORIES: Delayed (Chronic) Health Effects: Yes

Fire Hazard: No
Sudden Release of Pressure: No
Reactivity: No

EUROPEAN COMMUNITY:



RIGHT TO KNOW CLASSIFICATION: Lithium polysilicate is listed in NJ.

TSCA: All ingredients listed or exempt from listing.

REPORTABLE QUANTITY (RQ): None

Taiwan

PROP. 65: None listed

List of Toxic Chemical Substances regulated under Taiwan

Toxic Chemical Substances Control Act of 1086

WHMIS: Xi (Irritant to the eyes and skin)

All ingredients are listed as chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK

ABBREVIATIONS: CAS# Chemical Abstract Service Number **EINECS** European Inventory of existing Commercial °C Celsius temperature scale **Chemical Sales** Proprietary Fahrenheit temperature scale Prop. Threshold Limit Value PΕ TLV Personal Protective Equipment Short-term Exposure Limit **TWA** Time Weighted Average STEL **OSHA** Occupational Safety & Health PEL Permissible Exposure Limit NIOSH NFPA National Fire Protection Agency National Institute of Safety & Health National Toxicology Program WHMIS Workplace Hazardous Materials Information System NTP **RCRA** Resource Conservation Recovery Act IARC Int. Agency for Research on Cancer EC50 **Effective Dose TSCA** Toxic Substance Control Act Lethal Dose LC50 Lethal Inhalation Concentration LD50 Lower explosive limit CAS Chemical Abstract Service Number LEL NDA No Data Available UFP Upper explosive limit None established ND Not determined NE Less Than or Equal To NA Not Applicable CNS Central Nervous System Greater Than or Equal To CI DSL Canada Korean Existing Chemicals List EEC European Economic Commission **ECL** European Union **ENCS** Japanese Existing and New Chemical List MAK Germany MAC Netherlands **PICCS** Philippines MITI Japan UK United Kingdom **SWISS** Giftliste 1 VOC Volatile organic content USA **United States** SARA Superfund Amendments and Reauthorization Act **ACGIH** American Conference of Government Industrial AICS Australian Inventory of Chemical Substances Hygienists IARC International Agency for Research on Cancer

Section 16. Other Information

	OUS MATERIA (ATION (HMIS)	_	NATIONAL FIRE PR ASSOCIATION	
Health		1	Health	1
Fire		1	Fire	1
Reactivity		0	Instability	0
Personal Prote	ection	С	NA	
HEALTH	FIRE	REACTIVITY/ INSTABILITY	RISK PHRASES: R36, R37, IRRITATING TO R	ESPIRATORY SYSTEM;
4 Deadly	4 <73°C	4 May Detonate	AND R38, IRRITATING	TO SKIN.
3 Extreme Danger	3 <100°C	3 Explosive	SAFETY PHRASES: S2,	KEEP OUT OF REACH
2 Dangerous	2 <200°C	2 Unstable	OF CHILDREN; S24, AV	
1 Slight Hazard	1 >200°C	1 Normally Stable	SKIN; S25, AVOID CON WEAR SUITABLE GLOV	
	0 Will Not burn	0 Stable	FYF/FACE PROTECTION	

DISCLAIMER:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Green Umbrellas' knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.

SAFETY DATA SHEET



Section 1. Product and Company Identification

PRODUCT NAME: | IceStart

PRODUCT USE: Surface Applied SCM (Supplementary Cementitious Material) Admixture Cure

EFFECTIVE DATE: October 2021

MANUFACTURER INFORMATION:

GREENUMBRELLA® Architectural Concrete Systems

Green Umbrella 20 Jetview Drive Rochester, NY 14624 (844) 200-7336

EMERGENCY PHONE
NUMBER:
For Hazardous Materials [or Dangerous Goods]
Incident Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC 24 Hours

Section 2. Hazard Identification

GHS PICTOGRAMS:



GHS SIGNAL WORD:

WARNING.

Avoid contact with eyes and skin. Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed.

POTENTIAL HEALTH EFFECTSCODE OF HAZARD STATEMENTS:

Physical Hazards Health Hazards Environmental Hazards

None H303 May be harmful if swallowed. None

H312 Harmful in contact with skin.H319 Causes serious eye irritation.H333 May be harmful if inhaled.

Section 2. Hazard Identification (Continued)

CODE OF PRECAUTIONARY STATEMENTS:

General

P101 Keep out of reach of children.

P103 Read label before use.

Prevention Statements

P202 Do not handle until all safety precautions have been read and understood.

P262 Do not get in eyes, on skin or on clothing.

P264 Wash thoroughly after handling using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

Response Statements

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P331 DO NOT induce vomiting.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352 Wash with plenty of soap and water.

P362 Take off contaminated clothing and wash before reuse.

Storage

KEEP FROM FREEZING.

P403 Store in well-ventilated place.

P404 Store in a closed container.

ROUTES OF ENTRY:

Eye contact, skin contact, ingestion and inhalation.

CARCINOGENICITY:

None know at this time.

Section 3. Ingredients and Hazards Identification

Component	CAS #	EINECS No	% by weight	REACH Reg #
Prop.	Prop.	Prop.	1-8	Yes
Water	7732-18-5	231-791-5	Balance	None Required
		ķ	*Undisclosed ingredients	are withheld as trade secrets

Section 4. First Aid Measures

EYE CONTACT:

Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT:

Use soap and water to remove from the skin. Remove contaminated clothing and clean thoroughly before reuse.

INHALATION:

Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

INGESTION:

If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

FLASH POINT: Not flammable

FLAMMABILITY

LIMITS:

ΝE

FIRE FIGHTING

MEDIA:

Dry chemical, carbon dioxide, and water spray.

SPECIAL FIRE FIGHTING PROCEDURES: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE).

Section 6. Accidental Release Measures

CLEAN-UP PROCEDURES:

Wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand) to absorb the spill. Use plastic shovel to pick up absorbent for disposal.

SPILLS AND LEAKS:

Dispose in accordance with local, state or federal regulations.

Section 7. Handling and Storage

HANDLING: Do not get into eyes. Do not taste or swallow. Wash thoroughly after

handling.

STORAGE: Store in original labeled container. Keep in cool and dry areas.

Keep from freezing.

Section 8. Exposure Control/Personal Protection

INTRODUCTORY REMARKS:

Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

PERSONAL PROTECTION:

EYES: Wear safety goggles or safety glasses to prevent eye contact.

BODY: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant

gloves.

HANDS: Chemical resistant gloves.

RESPIRATORY: Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Section 9. Physical and Chemical Properties

Odor/Color	Tropical / Green	Vapor Pressure >	2.2 torr @ 68° F (20° C)
pН	11.6	Density (water=1)	> 1.0 @ 68°F (20 °C)
% volatile by weight	< 50g/L	Solubility	100% in water
, ,	· ·	Boiling Point	212°F (100°C)
Evaporation rate	> 1.0	Freezing Point	32°F (0°C)

Section 10. Stability and Reactivity

CHEMICAL STABILITY: Considered stable under normal ambient temperatures.

HAZARDOUS DECOMPOSITION: If complete combustion, oxides of carbon and mineral salt are formed.

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITY/
MATERIALS TO AVOID:

May react with strong oxidizing agents and strong acids.

Section 11. Toxicological Information

ACUTE EYE IRRITATION: Irritating.

ACUTE SKIN IRRITATION: Chronic exposure may be irritating.

ACUTE DERMAL TOXICITY: Not expected to be toxic through the skin.

ACUTE INHALATION

TOXICITY: Not determined, expected to be an irritant to the response to the control of the response to the control of the cont

CARCINOGENIC EFFECTS: None

EXISTING MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Exposure to eyes and skin may cause irritation to pre-existing conditions.

Not determined, expected to be an irritant to the respiratory system.

Section 12. Ecological Information

ECOTOXICITY: The toxicity of this product has not been determined.

ENVIRONMENTAL FATE: This product should be expected to be readily biodegradable.

Section 13. Disposal Considerations

WASTE DISPOSAL Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal regulations.

CONTAINER HANDLING
AND DISPOSAL:
All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

Section 14. Transport Information

GROUND CLASSIFICATION: Not regulated by US DOT

> SHIPPING NAME: **IceStart**

TECHNICAL SHIPPING NAME: Surface Applied SCM (Supplementary Cementitious Material) Admixture Cure

UNFIC:

ID NUMBER: None

Not regulated by IATA or IMO PACKAGING GROUP: None


> LABELS: No US DOT Labels

Section 15. Regulatory Information

EPCRA 311/312 Immediate (Acute) Health Effects: Yes **CATEGORIES:** Delayed (Chronic) Health Effects: Yes

> Fire Hazard: No Sudden Release of Pressure: No Reactivity: No

EUROPEAN COMMUNITY:



substances

RIGHT TO KNOW

Mineral Salt is listed in CA, FL, PA, MA, MN, and NJ. **CLASSIFICATION:**

TSCA:

All ingredients listed or exempt from listing.

REPORTABLE QUANTITY (RQ):

None

PROP. 65:

None

WHMIS:

Xi (Irritant to the eyes and skin)

Mineral Salt is listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK

	ABBREVIA	TIONS:	
CAS#	Chemical Abstract Service Number	EINECS	European Inventory of existing Commercial
°C	Celsius temperature scale		Chemical Sales
Prop.	Proprietary	°F	Fahrenheit temperature scale
TLV	Threshold Limit Value	PE	Personal Protective Equipment
STEL	Short-term Exposure Limit	TWA	Time Weighted Average
OSHA	Occupational Safety & Health	PEL	Permissible Exposure Limit
NFPA	National Fire Protection Agency	NIOSH	National Institute of Safety & Health
NTP	National Toxicology Program	WHMIS	Workplace Hazardous Materials Information System
RCRA	Resource Conservation Recovery Act	IARC	Int. Agency for Research on Cancer
EC50	Effective Dose	TSCA	Toxic Substance Control Act
LD50	Lethal Dose	LC50	Lethal Inhalation Concentration
LEL	Lower explosive limit	CAS	Chemical Abstract Service Number
NDA	No Data Available	UEP	Upper explosive limit
NE	None established	ND	Not determined
<	Less Than or Equal To	NA	Not Applicable
CNS	Central Nervous System	>	Greater Than or Equal To
DSL	Canada	CI	China
EEC	European Economic Commission	ECL	Korean Existing Chemicals List
EU	European Union	ENCS	Japanese Existing and New Chemical List
MAK	Germany	MAC	Netherlands
PICCS	Philippines	MITI	Japan
UK	United Kingdom	SWISS	Giftliste 1
VOC	Volatile organic content	USA	United States
SARA	Superfund Amendments and Reauthorization Act	ACGIH	American Conference of Government Industrial
AICS	Australian Inventory of Chemical Substances		Hygienists
IARC	International Agency for Research on Cancer	AICS	Australian Inventory of Chemical
Taiwan	List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances		Substances

Section 16. Other Information

	OUS MATERIA IATION (HMIS)	_	NATIONAL FIRE PR ASSOCIATION	
Health		1	Health	1
Fire		0	Fire	0
Reactivity		0	Instability	0
Personal Prote	ection	С	NA	
HEALTH	FIRE	REACTIVITY/ INSTABILITY	RISK PHRASES: R36, R37, IRRITATING TO R	ESPIRATORY SYSTEM;
4 Deadly	4 <73°C	4 May Detonate	AND R38, IRRITATING	TO SKIN.
3 Extreme Danger	3 <100°C	3 Explosive	SAFETY PHRASES: S2,	KEEP OUT OF REACH
2 Dangerous	2 <200°C	2 Unstable	OF CHILDREN; S24, AV	
1 Slight Hazard	1 >200°C	1 Normally Stable	SKIN; S25, AVOID CON WEAR SUITABLE GLOV	
	0 Will Not burn	0 Stable	FYF/FACE PROTECTION	

DISCLAIMER:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Green Umbrellas' knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.

SAFETY DATA SHEET



Section 1. Product and Company Identification

PRODUCT NAME: IceStop

PRODUCT USE: Hydrophobic Fixative for Surface Applied Admixture Cure

EFFECTIVE DATE: October 2021

MANUFACTURER INFORMATION:



Green Umbrella 20 Jetview Drive Rochester, NY 14624 (844) 200-7336

EMERGENCY PHONE NUMBER:

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC 24 Hours

Section 2. Hazard Identification

GHS PICTOGRAMS:



GHS SIGNAL WORD:

WARNING.

This product is Alkaline.

Avoid contact with eyes and skin. Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed.

POTENTIAL HEALTH EFFECTSCODE OF HAZARD STATEMENTS:

Physical Hazards Health Hazards Environmental Hazards

None H303 May be harmful if swallowed. None

H312 Harmful in contact with skin.H319 Causes serious eye irritation.H333 May be harmful if inhaled.

Section 2. Hazard Identification (Continued)

CODE OF PRECAUTIONARY STATEMENTS:

General

P101 Keep out of reach of children.

P103 Read label before use.

Prevention Statements

P202 Do not handle until all safety precautions have been read and understood.

P262 Do not get in eyes, on skin or on clothing.

P264 Wash thoroughly after handling using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

Response Statements

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P331 DO NOT induce vomiting.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352 Wash with plenty of soap and water.

P362 Take off contaminated clothing and wash before reuse.

Storage

KEEP FROM FREEZING.

P403 Store in well-ventilated place.

P404 Store in a closed container.

ROUTES OF ENTRY:

Eye contact, skin contact, ingestion and inhalation.

CARCINOGENICITY:

None know at this time.

Section 3. Ingredients and Hazards Identification

Component	CAS #	EINECS No	% by weight	REACH Reg #
Prop.	Prop.	Prop.	1-8	(Pre)registered or exempt
Mineral Salt	Prop.	Prop.	10-30	Yes
Water	7732-18-5	231-791-5	Balance	None Required

*Undisclosed ingredients are withheld as trade secrets

Section 4. First Aid Measures

EYE CONTACT:

Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT:

Use soap and water to remove from the skin. Remove contaminated clothing and clean thoroughly before reuse.

INHALATION:

Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

INGESTION:

If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

FLASH POINT: Not flammable

ΝE

FLAMMABILITY

LIMITS:

FIRE FIGHTING

MEDIA:

Dry chemical, carbon dioxide, and water spray.

SPECIAL FIRE FIGHTING PROCEDURES: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE).

Section 6. Accidental Release Measures

CLEAN-UP PROCEDURES:

Material is alkaline, wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand) to absorb the spill. Use plastic shovel to pick up absorbent for disposal.

SPILLS AND LEAKS:

Dispose in accordance with local, state or federal regulations.

Section 7. Handling and Storage

HANDLING: Do not get into eyes. Do not taste or swallow. Wash thoroughly after

handling.

STORAGE: Store in original labeled container. Keep in cool and dry areas.

Do not freeze.

Section 8. Exposure Control/Personal Protection

INTRODUCTORY REMARKS:

Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

PERSONAL PROTECTION:

EYES: Wear safety goggles or safety glasses to prevent eye contact.

BODY: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant

gloves.

HANDS: Chemical resistant gloves.

RESPIRATORY: Wear an approved respirator (NIOSH TC-84A rated or EN 14387) that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Section 9. Physical and Chemical Properties

Odor/Color	Tropical/Red	Vapor Pressure	> 2.2 torr @ 68° F (20° C)
рН	11.6	Solubility	95% in water
% volatile by weight	< 50g/L	Boiling Point	212°F (100°C)
, ,	Č	Freezing Point	32°F (0°C)
Evaporation rate	< 1.0	Vapor Density (air:	=1) >1

Section 10. Stability and Reactivity

CHEMICAL STABILITY: Considered stable under normal ambient temperatures.

HAZARDOUS DECOMPOSITION: If complete combustion, oxides of carbon and mineral salt are formed.

HAZARDOUS Will not occur. POLYMERIZATION:

INCOMPATIBILITY/
MATERIALS TO AVOID:

May react with strong oxidizing agents and strong acids.

Section 11. Toxicological Information

ACUTE EYE IRRITATION: Irritating.

ACUTE SKIN IRRITATION: Chronic exposure may be irritating.

ACUTE DERMAL TOXICITY: Not expected to be toxic through the skin.

ACUTE INHALATION

TOXICITY: Not determined, expected to be an irritant to the respiratory system.

CARCINOGENIC EFFECTS: None

EXISTING MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Exposure to eyes and skin may cause irritation to pre-existing conditions.

Section 12. Ecological Information

ECOTOXICITY: The toxicity of this product has not been determined.

ENVIRONMENTAL FATE: This product should be expected to be readily biodegradable.

Section 13. Disposal Considerations

WASTE DISPOSAL Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal regulations.

CONTAINER HANDLING
AND DISPOSAL:
All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

Section 14. Transport Information

GROUND CLASSIFICATION: Not regulated by US DOT

> SHIPPING NAME: IceStop

TECHNICAL SHIPPING NAME: Hydrophobic Fixative for Surface Applied Admixture Cure

UNFIC:

ID NUMBER: None Not regulated by IATA or IMO

PACKAGING GROUP: None

> LABELS: No US DOT Labels

Section 15. Regulatory Information

EPCRA 311/312 Immediate (Acute) Health Effects: Yes **CATEGORIES:** Delayed (Chronic) Health Effects: Yes

> Fire Hazard: No Sudden Release of Pressure: No Reactivity: No

EUROPEAN COMMUNITY:



RIGHT TO KNOW

CLASSIFICATION:

All ingredients are listed in CA, FL, MA, MI, MN, PA and NJ.

TSCA:

All ingredients listed or exempt from listing.

REPORTABLE QUANTITY (RQ):

None None

PROP. 65: WHMIS:

Xi (Irritant to the eyes and skin)

All ingredients are listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.

	ABBREVIAT	TIONS:	
CAS#	Chemical Abstract Service Number	EINECS	European Inventory of existing Commercial
°C	Celsius temperature scale		Chemical Sales
Prop.	Proprietary	°F	Fahrenheit temperature scale
TLV	Threshold Limit Value	PE	Personal Protective Equipment
STEL	Short-term Exposure Limit	TWA	Time Weighted Average
OSHA	Occupational Safety & Health	PEL	Permissible Exposure Limit
NFPA	National Fire Protection Agency	NIOSH	National Institute of Safety & Health
NTP	National Toxicology Program	WHMIS	Workplace Hazardous Materials Information System
RCRA	Resource Conservation Recovery Act	IARC	Int. Agency for Research on Cancer
EC50	Effective Dose	TSCA	Toxic Substance Control Act
LD50	Lethal Dose	LC50	Lethal Inhalation Concentration
LEL	Lower explosive limit	CAS	Chemical Abstract Service Number
NDA	No Data Available	UEP	Upper explosive limit
NE	None established	ND	Not determined
<	Less Than or Equal To	NA	Not Applicable
CNS	Central Nervous System	>	Greater Than or Equal To
DSL	Canada	CI	China
EEC	European Economic Commission	ECL	Korean Existing Chemicals List
EU	European Union	ENCS	Japanese Existing and New Chemical List
MAK	Germany	MAC	Netherlands
PICCS	Philippines	MITI	Japan
UK	United Kingdom	SWISS	Giftliste 1
VOC	Volatile organic content	USA	United States
SARA	Superfund Amendments and Reauthorization Act	ACGIH	American Conference of Government Industrial
AICS	Australian Inventory of Chemical Substances		Hygienists
IARC	International Agency for Research on Cancer	AICS	Australian Inventory of Chemical
Taiwan	List of Toxic Chemical Substances regulated under Taiwan		Substances
	Toxic Chemical Substances		

Section 16. Other Information

	OUS MATERIA MATION (HMIS)		NATIONAL FIRE PI ASSOCIATION	
Health		1	Health	1
Fire		0	Fire	0
Reactivity		0	Instability	0
Personal Prot	ection	Е	NA	
HEALTH	FIRE	REACTIVITY/ INSTABILITY	RISK PHRASES: R36, R37, IRRITATING TO R	
4 Deadly	4 <73°C	4 May Detonate	AND R38, IRRITATING	TO SKIN.
3 Extreme Danger	3 <100°C	3 Explosive	SAFETY PHRASES: S2,	KEEP OUT OF REACH
2 Dangerous	2 <200°C	2 Unstable	OF CHILDREN; S24, A	
1 Slight Hazard	1 >200°C	1 Normally Stable	SKIN; S25, AVOID CON WEAR SUITABLE GLOV	
0 No Hazard	0 Will Not burn	0 Stable	EYE/EACE PROTECTION	

DISCLAIMER:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Green Umbrellas' knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.

SAFETY DATA SHEET



Section 1. Product and Company Identification

PRODUCT NAME: Interior MicroFilm

PRODUCT USE: Penetrating Reactive Interior Microfinish for Profiled Surfaces

EFFECTIVE DATE: October 2021

MANUFACTURER
INFORMATION:



Green Umbrella 20 Jetview Drive Rochester, NY 14624 (844) 200-7336

EMERGENCY PHONE NUMBER:

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC 24 Hours

Section 2. Hazard Identification

GHS PICTOGRAMS:



GHS SIGNAL WORD:

WARNING.

This product is alkaline. Avoid contact with eyes and skin.

Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed.

POTENTIAL HEALTH EFFECTSCODE OF HAZARD STATEMENTS:

Physical Hazards Health Hazards Environmental Hazards

None H303 May be harmful if swallowed. None H312 Harmful in contact with skin.

H319 Causes serious eye irritation.
H333 May be harmful if inhaled.

Section 2. Hazard Identification (Continued)

CODE OF PRECAUTIONARY STATEMENTS:

General

P101-Keep out of reach of children.

P103-Read label before use.

Prevention Statements

P202-Do not handle until all safety precautions have been read and understood.

P262-Do not get in eyes, on skin or on clothing.

P264-Wash thoroughly after handling using this product.

P280-Wear protective gloves/protective clothing/eye protection/face protection.

P284-Wear respiratory protection.

Response Statements

P312-Call a POISON CENTER or doctor/physician if you feel unwell.

P331-DO NOT induce vomiting.

P340-Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352-Wash with plenty of soap and water.

P362-Take off contaminated clothing and wash before reuse.

Storage

P403-Store in well-ventilated place.

P404-Store in a closed container.

P412-Do not expose to temperatures exceeding 60 °C (140 °F)

ROUTES OF ENTRY:

Eye contact, skin adsorption, ingestion and inhalation.

CARCINOGENICITY:

None know at this time.

Section 3. Ingredients and Hazards Identification

Component	CAS #	EINECS No	% by weight	REACH
Proprietary	12627-14-4	235-730-0	>9	Yes
Proprietary	Prop.	Prop.	< 1	Yes
Proprietary	Prop.	Prop.	< 1	No
Proprietary	Prop.	Prop.	< 1	No
Proprietary	Prop.	Prop.	< 1	No
Proprietary	Prop.	Prop.	< 1	Yes
Proprietary	Prop.	Prop.	< 1	Yes

Section 4. First Aid Measures

*Undisclosed ingredients are withheld as trade secrets

EYE CONTACT:

Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT:

Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse.

INHALATION:

Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

INGESTION:

If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

FLASH POINT: Not flammable

FLAMMABILITY

LIMITS:

ΝE

FIRE FIGHTING

MEDIA:

Dry chemical, carbon dioxide, and water spray.

SPECIAL FIRE FIGHTING PROCEDURES: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE). Material is alkaline and may cause the floor to be slippery.

Section 6. Accidental Release Measures

CLEAN-UP PROCEDURES:

Material is alkaline wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use plastic shovel to pick up absorbent for disposal.

SPILLS AND LEAKS:

Dispose in accordance to local, state or federal regulations.

Section 7. Handling and Storage

HANDLING: Do not get into eyes. Do not taste or swallow. Wash thoroughly after

handling.

STORAGE: Store in original labeled container. Keep in cool and dry areas.

Do not exceed 60 °C (140 °F).

Section 8. Exposure Control/Personal Protection

INTRODUCTORY REMARKS:

Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

PERSONAL PROTECTION:

EYES: Wear safety goggles or safety glasses to prevent eye contact.

BODY: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant

gloves.

HANDS: Chemical resistant gloves.

RESPIRATORY: Wear an approved respirator (NIOSH TC-84A rated or EN 14387) that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Section 9. Physical and Chemical Properties

Odor/Color Slight ammonia-like/ Vapor Pressure > 2.2 torr @ 68° F (20° C) White, dries clear

pH 11-12 **Density** (water=1) > 1.0 @ 68°F (20 °C)

% volatile by weight < 50g/L Solubility >95 % in water

Boiling Point 212°F (100°C) **Evaporation rate** < 1.0

Section 10. Stability and Reactivity

CHEMICAL STABILITY: Considered stable under normal ambient temperatures.

HAZARDOUS DECOMPOSITION: If complete combustion, oxides of carbon and silicates are formed.

HAZARDOUS Will not occur.

INCOMPATIBILITY/
MATERIALS TO AVOID:

May react with strong oxidizing agents and strong acids.

Section 11. Toxicological Information

ACUTE EYE IRRITATION: Irritating.

ACUTE SKIN IRRITATION: Chronic exposure may be irritating.

ACUTE DERMAL TOXICITY: Not expected to be toxic through the skin.

ACUTE INHALATION

TOXICITY: Not determined, expected to be an irritant to the respiratory system.

CARCINOGENIC EFFECTS: None

EXISTING MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Exposure to eyes and skin may cause irritation to pre-existing conditions.

Section 12. Ecological Information

ECOTOXICITY: The toxicity of this product has not been determined.

ENVIRONMENTAL FATE: This product should be expected to be readily biodegradable.

Section 13. Disposal Considerations

WASTE DISPOSAL Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal regulations.

CONTAINER HANDLING
AND DISPOSAL:

All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

Section 14. Transport Information

GROUND CLASSIFICATION: Not regulated by US DOT

SHIPPING NAME: None

TECHNICAL SHIPPING NAME: None

UNFIC: None Not regulated by IATA or IMO

ID NUMBER: None PACKAGING GROUP: None

LABELS: No US DOT Labels

Section 15. Regulatory Information

EPCRA 311/312 Immediate (Acute) Health Effects: Yes
CATEGORIES: Delayed (Chronic) Health Effects: Yes

Fire Hazard: No
Sudden Release of Pressure: No
Reactivity: No

EUROPEAN COMMUNITY:



RIGHT TO KNOW CLASSIFICATION: Lithium polysilicate is listed in NJ.

TSCA: All ingredients listed or exempt from listing.

REPORTABLE QUANTITY (RQ): None

Taiwan

PROP. 65: None listed

List of Toxic Chemical Substances regulated under Taiwan

Toxic Chemical Substances Control Act of 1086

WHMIS: Xi (Irritant to the eyes and skin)

All ingredients are listed as chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK

ABBREVIATIONS: CAS# Chemical Abstract Service Number **EINECS** European Inventory of existing Commercial °C Celsius temperature scale **Chemical Sales** Proprietary Fahrenheit temperature scale Prop. Threshold Limit Value PΕ TLV Personal Protective Equipment Short-term Exposure Limit **TWA** Time Weighted Average STEL **OSHA** Occupational Safety & Health PEL Permissible Exposure Limit NIOSH NFPA National Fire Protection Agency National Institute of Safety & Health National Toxicology Program WHMIS Workplace Hazardous Materials Information System NTP **RCRA** Resource Conservation Recovery Act IARC Int. Agency for Research on Cancer EC50 **Effective Dose TSCA** Toxic Substance Control Act Lethal Dose LC50 Lethal Inhalation Concentration LD50 Lower explosive limit CAS Chemical Abstract Service Number LEL NDA No Data Available UFP Upper explosive limit None established ND Not determined NE Less Than or Equal To NA Not Applicable CNS Central Nervous System Greater Than or Equal To CI DSL Canada Korean Existing Chemicals List EEC European Economic Commission **ECL** European Union **ENCS** Japanese Existing and New Chemical List MAK Germany MAC Netherlands **PICCS** Philippines MITI Japan UK United Kingdom **SWISS** Giftliste 1 VOC Volatile organic content USA **United States** SARA Superfund Amendments and Reauthorization Act **ACGIH** American Conference of Government Industrial AICS Australian Inventory of Chemical Substances Hygienists IARC International Agency for Research on Cancer

Section 16. Other Information

HAZARDOUS MATERIAL INFORMATION (HMIS)			NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)		
Health		1	Health	1	
Fire		1	Fire	1	
Reactivity		0	Instability	0	
Personal Protection		С	NA		
HEALTH	FIRE	REACTIVITY/ INSTABILITY	RISK PHRASES: R36, IRRITATING TO EYES R37, IRRITATING TO RESPIRATORY SYSTEM AND R38, IRRITATING TO SKIN.		
4 Deadly	4 <73°C	4 May Detonate			
3 Extreme Danger	3 <100°C	3 Explosive	SAFETY PHRASES: S2, KEEP OUT OF REAC OF CHILDREN; S24, AVOID CONTACT WIT SKIN; S25, AVOID CONTACT WITH EYES; S3 WEAR SUITABLE GLOVES; AND S39, WEA EYE/FACE PROTECTION.		
2 Dangerous	2 <200°C	2 Unstable			
1 Slight Hazard	1 >200°C	1 Normally Stable			
	0 Will Not burn	0 Stable			

DISCLAIMER:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Green Umbrellas' knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.

SAFETY DATA SHEET

SHIELD&ENHANCE

Section 1. Product and Company Identification

PRODUCT NAME: Shield & Enhance

PRODUCT USE: Penetrating Completely Reactive Color Enhancement Silane Modified Densifier

EFFECTIVE DATE: October 2021

MANUFACTURER INFORMATION:



Green Umbrella 20 Jetview Drive Rochester, NY 14624 (844) 200-7336

EMERGENCY PHONE NUMBER:

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC 24 Hours

Section 2. Hazard Identification

GHS PICTOGRAMS:



GHS SIGNAL WORD:

WARNING.

This product is alkaline. Avoid contact with eyes and skin.

Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed.

POTENTIAL HEALTH EFFECTSCODE OF HAZARD STATEMENTS:

Physical Hazards Health Hazards Environmental Hazards

None H303 May be harmful if swallowed. None H312 Harmful in contact with skin.

H319 Causes serious eye irritation. H333 May be harmful if inhaled.

Section 2. Hazard Identification (Continued)

CODE OF PRECAUTIONARY STATEMENTS:

General

P101 Keep out of reach of children.

P103 Read label before use.

Prevention Statements

P202 Do not handle until all safety precautions have been read and understood.

P262 Do not get in eyes, on skin or on clothing.

P264 Wash thoroughly after handling using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

Response Statements

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P331 DO NOT induce vomiting.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352 Wash with plenty of soap and water.

P362 Take off contaminated clothing and wash before reuse.

Storage: KEEP FROM FREEZING

P403 Store in well-ventilated place.

P404 Store in a closed container.

ROUTES OF ENTRY:

Eye contact, skin contact, ingestion and inhalation.

CARCINOGENICITY:

None know at this time.

Section 3. Ingredients and Hazards Identification

Component	CAS #	EINECS No	OSHA PEL	ACGIH TLV	Percent
Proprietary	Proprietary	Proprietary	Proprietary	Proprietary	Proprietary
Proprietary	Proprietary	Proprietary	NE	NE	Proprietary
Water	7732-18-5	231-791-5	NE	NE	Balance

*Undisclosed ingredients are withheld as trade secrets

Section 4. First Aid Measures

EYE CONTACT: | Flush eyes with water immediately while holding eyelids open. Remove

contacts, if worn, after initial flushing and continue flushing for at least 15

minutes. Seek medical attention if irritation persists.

SKIN CONTACT: Use soap and water to remove from the skin, remove contaminated clothing,

clean thoroughly before reuse.

INHALATION: | Move to fresh air. If not breathing, give rescue breathing. If breathing is

difficult, give oxygen. Seek medical attention if breathing is still difficult.

INGESTION: If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING.

Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

FLASH POINT: Not flammable

FLAMMABILITY

LIMITS:

ΝE

FIRE FIGHTING

MEDIA:

Dry chemical, carbon dioxide, and water spray.

SPECIAL FIRE FIGHTING PROCEDURES: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE). Material is alkaline and may cause the floor to be slippery.

Section 6. Accidental Release Measures

CLEAN-UP PROCEDURES:

Material is alkaline wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand) to absorb the spill, use plastic shovel to pick up absorbent for disposal.

SPILLS AND LEAKS:

Dispose in accordance to local, state or federal regulations.

Section 7. Handling and Storage

HANDLING: Do not get into eyes. Do not taste or swallow. Wash thoroughly after

handling.

STORAGE: Store in original labeled container. Keep in cool and dry areas.

Keep from freezing.

Section 8. Exposure Control/Personal Protection

INTRODUCTORY REMARKS:

Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

PERSONAL PROTECTION:

EYES: Wear safety goggles or safety glasses to prevent eye contact.

BODY: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant

gloves.

HANDS: Chemical resistant gloves.

RESPIRATORY: Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Section 9. Physical and Chemical Properties

Odor/Color Odorless/Clear White Vapor Pressure < 2.2 torr @ 68° F (20° C)

pH 11.2 **Density** (water=1) >1.040 @ 68F (20C)

VOC < 50g/L **Boiling Point** 212°F (100°C)

Solubility 100% in water Evaporation Rate (water=1) > 1.0

Section 10. Stability and Reactivity

CHEMICAL STABILITY: Considered stable under normal ambient temperatures.

HAZARDOUS DECOMPOSITION:

If complete combustion, oxides of carbon and silicates are formed.

HAZARDOUS POLYMERIZATION:

Will not occur.

INCOMPATIBILITY/
MATERIALS TO AVOID:

May react with strong oxidizing agents and strong acids.

Section 11. Toxicological Information

ACUTE EYE IRRITATION: Irritating.

ACUTE SKIN IRRITATION: Chronic exposure may be irritating.

ACUTE DERMAL TOXICITY: Not expected to be toxic through the skin.

ACUTE INHALATION

TOXICITY:

Not determined, expected to be an irritant to the respiratory system.

CARCINOGENIC EFFECTS: N

None

EXISTING MEDICAL CONDITIONS AGGRAVATED

BY EXPOSURE:

Exposure to eyes and skin may cause irritation to pre-existing conditions.

Section 12. Ecological Information

ECOTOXICITY: The toxicity of this product has not been determined.

ENVIRONMENTAL FATE: This product should be expected to be readily biodegradable.

Section 13. Disposal Considerations

WASTE DISPOSAL METHOD:

Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal regulations.

CONTAINER HANDLING AND DISPOSAL: All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

Section 14. Transport Information

DO NOT FREEZE

GROUND CLASSIFICATION: Not regulated by US DOT

SHIPPING NAME: Shield & Enhance

TECHNICAL SHIPPING NAME: | Penetrating Completely Reactive Color Enhancement Silane Modified Densifier

UNFIC: None

ID NUMBER: None

PACKAGING GROUP: None Not regulated by IATA or IMO

LABELS: No US DOT Labels

Section 15. Regulatory Information

EPCRA 311/312 Immediate (Acute) Health Effects: Yes

CATEGORIES: Delayed (Chronic) Health Effects: Yes

Fire Hazard: No
Sudden Release of Pressure: No
Reactivity: No

EUROPEAN COMMUNITY:



RIGHT TO KNOW CLASSIFICATION:

All ingredients are listed in CA, FL, PA, MA, MI, MN and NJ.

TSCA:

All ingredients listed or exempt from listing.

REPORTABLE QUANTITY (RQ):

None

PROP. 65:

None listed

WHMIS:

Toxic Chemical Substances Control Act of 1086

(!) Xi (Irritant to the eyes and skin)

All ingredients are listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK

	ABBREVIA	TIONS:	
CAS # °C	Chemical Abstract Service Number	EINECS	European Inventory of existing Commercial
_	Celsius temperature scale		Chemical Sales
Prop.	Proprietary	°F	Fahrenheit temperature scale
TLV	Threshold Limit Value	PE	Personal Protective Equipment
STEL	Short-term Exposure Limit	TWA	Time Weighted Average
OSHA	Occupational Safety & Health	PEL	Permissible Exposure Limit
NFPA	National Fire Protection Agency	NIOSH	National Institute of Safety & Health
NTP	National Toxicology Program	WHMIS	Workplace Hazardous Materials Information System
RCRA	Resource Conservation Recovery Act	IARC	Int. Agency for Research on Cancer
EC50	Effective Dose	TSCA	Toxic Substance Control Act
LD50	Lethal Dose	LC50	Lethal Inhalation Concentration
LEL	Lower explosive limit	CAS	Chemical Abstract Service Number
NDA	No Data Available	UEP	Upper explosive limit
NE	None established	ND	Not determined
<	Less Than or Equal To	NA	Not Applicable
CNS	Central Nervous System	>	Greater Than or Equal To
DSL	Canada	CI	China
EEC	European Economic Commission	ECL	Korean Existing Chemicals List
EU	European Union	ENCS	Japanese Existing and New Chemical List
MAK	Germany	MAC	Netherlands
PICCS	Philippines	MITI	Japan
UK	United Kingdom	SWISS	Giftliste 1
voc	Volatile organic content	USA	United States
SARA	Superfund Amendments and Reauthorization Act	ACGIH	American Conference of Government Industrial
AICS	Australian Inventory of Chemical Substances		Hygienists
IARC	International Agency for Research on Cancer		
Taiwan	List of Toxic Chemical Substances regulated under Taiwan		

Section 16. Other Information

HAZARDOUS MATERIAL INFORMATION (HMIS)			NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)		
Health		1	Health	1	
Fire		0	Fire	0	
Reactivity		0	Instability	0	
Personal Protection		С	NA		
HEALTH	FIRE	REACTIVITY/ INSTABILITY	RISK PHRASES: R36, IRRITATING TO EYES R37, IRRITATING TO RESPIRATORY SYSTEM AND R38, IRRITATING TO SKIN.		
4 Deadly	4 <73°C	4 May Detonate			
3 Extreme Danger	3 <100°C	3 Explosive	SAFETY PHRASES: S2, KEEP OUT OF REAC OF CHILDREN; S24, AVOID CONTACT WIT SKIN; S25, AVOID CONTACT WITH EYES; S3 WEAR SUITABLE GLOVES; AND S39, WEA EYE/FACE PROTECTION.		
2 Dangerous	2 <200°C	2 Unstable			
1 Slight Hazard	1 >200°C	1 Normally Stable			
	0 Will Not burn	0 Stable			

DISCLAIMER:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Green Umbrellas' knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.